



# **EU DECLARATION OF CONFORMITY**

We, the undersigned,

### BEA SA, LIEGE Science Park, Allée des Noisetiers, 5, 4031 Angleur, Belgium

declare that the declaration of conformity is issued under our sole responsibility and belongs to the following product(s):

VIO-M1 unidirectional microwave sensor for automatic doors

The object of the declaration described above is in conformity with the relevant Union harmonisation legislation:

2014/53/EU RED Directive
2011/65/EU RoHS 2 Directive

The following harmonised standards and technical specifications have been applied:

EN 300 440-2 V1.4.1	Electromagnetic compatibility and Radio spectrum Matters (ERM); Short range devices; Radio equipment to be used in the 1 GHz to 40 GHz frequency range; Part 2: Harmonized EN covering the essential requirements of article 3.2 of the R&TTE Directive
EN 301 489-1 V1.9.2	Electromagnetic compatibility and Radio spectrum Matters (ERM); ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 1: Common technical requirements
EN 301 489-3 V1.6.1	Electromagnetic compatibility and Radio spectrum Matters (ERM); ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 3: Specific conditions for Short-Range Devices (SRD) operating on frequencies between 9 kHz and 246 GHz
EN 62311:2008	Assessment of electronic and electrical equipment related to human exposure restrictions for electromagnetic fields (0 Hz - 300 GHz)
EN 62479:2010	Assessment of the compliance of low power electronic and electrical equipment with the basic restrictions related to human exposure to electromagnetic fields (10 MHz to 300 GHz)

Angleur, 12<sup>th</sup> June 2017 Pierre GARDIER Chief Technology Officer (authorized representative) Angleur, 12<sup>th</sup> June 2017 Elmar KOCH Managing Director 12.

VIO-M1 42.9064.05.DC A HALMA COMPANY





### IMPORTANT INFORMATION CONCERNING THE USE OF THE TRANSMITTER

Transmitter head characteristics:

Output frequency:	24.150 GHz
Transceiver Output Power:	< +7 dBm
Transceiver + Antenna EIRP:	< +20 dBm
Operating Voltage:	5V DC ±5%
Operating Current:	80 mA typ.
Operating temperature range:	-30°C to +70°C

### CONSTRAINTS CONCERNING THE USE OF RADIO EQUIPMENT IN THE EU

COUNTRY	OUTPUT POWER	FREQUENCY BAND	STATUS
AUSTRIA	100 mW E.I.R.P.	24.050 – 24.250 GHz	NO LICENCE REQUIRED
BELGIUM	100 mW E.I.R.P.	24.050 – 24.250 GHz	NO LICENCE REQUIRED
DENMARK	100 mW E.I.R.P.	24.050 – 24.250 GHz	NO LICENCE REQUIRED
FINLAND	100 mW E.I.R.P.	24.000 – 24.250 GHz	NO LICENCE REQUIRED
FRANCE	100 mW E.I.R.P.	24.050 – 24.250 GHz	NO LICENCE REQUIRED
GERMANY	100 mW E.I.R.P.	24.050 – 24.250 GHz	NO LICENCE REQUIRED
GREECE	100 mW E.I.R.P.	24.050 – 24.250 GHz	NO LICENCE REQUIRED
IRELAND	100 mW E.I.R.P.	24.000 – 24.250 GHz	NO LICENCE REQUIRED
ITALY	100 mW E.I.R.P.	24.050 – 24.250 GHz	NO LICENCE REQUIRED
LUXEMBOURG	100 mW E.I.R.P.	24.000 – 24.250 GHz	NO LICENCE REQUIRED
NETHERLANDS	100 mW E.I.R.P.	24.050 – 24.250 GHz	NO LICENCE REQUIRED
PORTUGAL	100 mW E.I.R.P.	24.000 – 24.250 GHz	NO LICENCE REQUIRED
SPAIN	100 mW E.I.R.P.	24.050 – 24.250 GHz	NO LICENCE REQUIRED
SWEDEN	100 mW E.I.R.P.	24.050 – 24.250 GHz	NO LICENCE REQUIRED
UNITED KINGDOM	100 mW E.I.R.P.	24.150 – 24.250 GHz	NO LICENCE REQUIRED
ICELAND	100 mW E.I.R.P.	24.050 – 24.250 GHz	NO LICENCE REQUIRED
NORWAY	100 mW E.I.R.P.	24.050 – 24.250 GHz	NO LICENCE REQUIRED
SWITZERLAND	100 mW E.I.R.P.	24.050 – 24.250 GHz	NO LICENCE REQUIRED
CYPRUS	100 mW E.I.R.P.	24.050 – 24.250 GHz	NO LICENCE REQUIRED
CZECH REPUBLIC	100 mW E.I.R.P.	24.000 – 24.250 GHz	NO LICENCE REQUIRED
ESTONIA	100 mW E.I.R.P.	24.050 – 24.250 GHz	NO LICENCE REQUIRED
HUNGARIA	100 mW E.I.R.P.	24.050 – 24.250 GHz	NO LICENCE REQUIRED
LITHUANIA	100 mW E.I.R.P.	24.050 – 24.250 GHz	NO LICENCE REQUIRED
POLAND	100 mW E.I.R.P.	24.050 – 24.250 GHz	NO LICENCE REQUIRED
SLOVAKIA	100 mW E.I.R.P.	24.050 – 24.250 GHz	NO LICENCE REQUIRED
SLOVENIA	100 mW E.I.R.P.	24.050 – 24.250 GHz	NO LICENCE REQUIRED
LATVIA	100 mW E.I.R.P.	24.050 – 24.250 GHz	NO LICENCE REQUIRED
MALTA	100 mW E.I.R.P.	24.050 – 24.250 GHz	NO LICENCE REQUIRED

## **SAFETY RELATED PRECAUTIONS**

WARNING! This equipment must be powered by an EN 60950-1 approved Class II SELV and Limited Power Source. This requirement consists of the need for a double isolation between primary voltages and sensor power supply. The power supply current will be limited by a fuse rated between 0.5A and 3A. We recommend a value of 0.5A T.

VIO-M1 42.9064.05.DC A HALMA COMPANY