



LZR®- U903/-U904

LASER MEASUREMENT DEVICE



User's Guide for product version 0300 and more

LASER MEASUREMENT DEVICE _____

Other use of the device is outside the permitted purpose and can not be guaranteed by the manufacturer. The manufacturer cannot be held responsible for incorrect installations or inappropriate adjustments of the sensor.

SAFETY



Do not look into the laser emitter.



The warranty is void if unauthorized repairs are made or attempted by unauthorized personnel.



Only trained and qualified personnel may install and adjust the sensor.



CAUTION!

Use of controls, adjustments or performance of procedures other than those specified herein may result in hazardous radiation exposure.

INSTALLATION AND MAINTENANCE



Avoid extreme vibrations.



Do not cover the front screens.



Avoid moving objects and light sources in the detection field.



Avoid the presence of smoke and fog in the detection field.



Avoid condensation.



Avoid exposure to sudden and extreme to high pi temperature changes. Avoid direction to high pi temperature changes.



Avoid direct exposure to high pressure cleaning.



Do not use aggressive products to clean the front screens.



Wipe the front screens regularly with a clean and damp cloth.



Keep the sensor permanently powered in environments where the temperature can descend below 0°C.



- . laser sweep emission
- laser sweep reception
- 3. LED-signal (2)
- 4. mounting bracket
- 5. connector






power



no error



WIRING & FIXING _



A = power supply + B = power supply -

C = RS485 GND

D = RS485 B

E = RS485 A

F = input 1 (activation of stand-by mode)



Connector type:

10-13T Souriau TR 851 02E 10-6 P50



Use M6 screws for fixing.

CAUTION!

Do not exceed the max. penetration depth.

TROUBLESHOOTING _____

	No blue LED	There is no power.	1 Check cable and connexion.
	NO DIUE LED	mere is no power.	Check capie and connexion.
		The polarity of the power supply is inverted.	1 Check the polarity of the power supply.
0	The orange LED is on.	The power supply voltage is exceeding the acceptable limits.	1 Check the power supply voltage.
		The sensor exceeds its temperature limits.	1 Verify the outside temperature where the sensor is installed. Eventually protect the sensor from sunlight using a cover.
		Internal error	1 Wait a few seconds. If the LED remains ON, reset the power supply. If the LED turns on again, replace the sensor.
			_

-			
	d	-	
	٩	١,	
•	d	-	
	d		
۰			
4	4	1	
•	^	-	
4			

Technology:	laser scanner, time-of-flight measurement	
Measurement range:	max 50 m	
	10 m @ 2% remission factor, 30 m @ 10% remission factor	
Number of planes:	4	
Number of points/plane:	U903: 274; U904: 27	
Angular resolution:	U903: 0.352 °; U904: 3.567 °	
Angular coverage:	96.3281 °	
Rotating speed:	900 turns/min	
Remission factor:	> 2 %	
Laser emission characteristics:	wavelength 905 nm; max. output pulse power 75 W (CLASS 1)	
Supply voltage:	10-35 V DC @ sensor side	
Power consumption:	< 5 W	
Peak current at power-on:	1.8 A (max. 80 ms @ 35 V)	
Serial communication:	see application note LZR®-90X Protocol (available for download on our website)	
Type	asynchronous	
Interface	RS 485	
Communication mode	half-duplex	
Transmission speed	U903: 460800 bit/sec; U904: 57600 bit/sec	
Topology	point to point	
Symbol coding	1 start bit, 1stop bit, no parity bit	
File type	8 bits	
LED-signal:	1 blue LED: power-on status; 1 orange LED: error status	
Dimensions:	125 mm (D) x 93 mm (W) x 70 mm (H)	
Mounting bracket + connector:	11 mm + 2 mm	
Material:	PC/ASA; stainless steel	
Colour:	black	
Mounting angles on bracket:	-45 °, 0 °, 45 °	
Rotation angles on bracket:	-5 ° to +5 ° (lockable)	
Tilt angles on bracket:	-3 ° to +3 °	
Protection degree:	IP65	
Temperature range:	-30 °C to +60 °C if powered; -10 °C to +60 °C unpowered	
Humidity:	0-95 % non-condensing	
Vibrations:	< 2 G	
Pollution on front screens:	max. 30 %; homogenous	
Expected lifetime:	8 years	
Norm conformity:	2006/95/EC: LVD; 2002/95/EC: RoHS; 2004/108/EC: EMC	
•	EN 50155:2007; EN 60529:2001;	
	IEC 60825-1:2007 Laser Class 1; EN 60950-1:2005	
	EN 61000-6-2:2005 EMC - Industrial level;	
	EN 61000-6-3:2006 EMC - Commercial level	
	Specifications are subject to changes without prior notice.	

Specifications are subject to changes without prior notice All values measured in specific conditions.



TECHNICAL SPECIFICATIONS

A DIVISION OF BEA SA | LIEGE SCIENCE PARK | ALLÉE DES NOISETIERS 5 - 4031 ANGLEUR [BELGIUM] T +32 4 361 65 89 | F +32 4 361 28 58 | INFO@SENSORIO.BE | WWW.SENSORIO.BE



BEA hereby declares that the LZR®-U903/-U904 is in conformity with the basic requirements and the other relevant provisions of the directives 2006/95/EC, 2002/95/EC and 2004/108/EC.

Angleur, October 2011 Jean-Pierre Valkenberg, authorized representative
The complete declaration of conformity is available on our website: www.sensorio.be

